

INSTANT BORATE CROSSLINKER

HBX-100

HBX-100 is an instantaneous, self- buffering borate-based crosslinker solution. This product is formulated for use with guar and HPG systems over a large temperature range and optimized for excellent stability in fresh and produced water.

ADVANTAGES

- Crosslink is instantaneous.
- Robust and designed to work in varied water environments.
- Formulated for compatibility in high pH environments.
- Self-buffering, single-additive solution.
- Compatible with most other fracturing additives.
- Application temperature range of 20 120°C.

TREATMENT

HBX-100 typical dosage for oilfield fracturing fluids is 1.0 – 2.0 L/m³ of product. Specific loadings are dependent on water chemistry, gel concentration and anticipated BHT.


PRODUCT HANDLING

Read the SDS carefully and completely prior to handling this product. Proper PPE should always be used.

his information is provided for general purposes only and is believed to be accurate at the time of publication. Hybrid Chemical Technologies and its affiliates do not make any arranties or representations of any kind regarding the information and disclaim all express and implied warranties or representations to the fullest extent permissible by law, including nose of merchant ability, fitness for a particular purpose or use, title, non-infringement, accuracy, correctness or completeness of the information provided herein. All information is arrished 'as is' and without any license to distribute. The user agrees to assume all liabilities related to the use of or reliance on such information. HYBRID CHEMICAL TECHNOLOGIES HALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL DAMAGES FROM ANY CAUSE WHATSOEVER INCLUDING BUT NOT IMITED TO ITS NEGLIGENCE.

PHYSICAL		DAI	DATA	
STATE	Liquid	SG	1.35	
COLOUR	Colourless	рН	>13	
ODOUR	Mild	FREEZE	-20°C	

20# Guar, Crosslinked Borate Stability in Produced Water Tested at 30°C (2.0 L/m³ Loading)



This information is provided for general purposes only and is believed to be accurate at the time of publication. Hybrid Chemical Technologies and its affiliates do not make any warranties or representations of any kind regarding the information and disclaim all express and implied warranties or representations to the fullest extent permissible by law, including those of merchant ability, fitness for a particular purpose or use, title, non-infringement, accuracy, correctness or completeness of the information provided herein. All information is furnished 'as is' and without any license to distribute. The user agrees to assume all liabilities related to the use of or reliance on such information. HYBRID CHEMICAL TECHNOLOGIES SHALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL DAMAGES FROM ANY CAUSE WHATSOEVER INCLUDING BUT NOT LIMITED TO ITS NEGLIGENCE.