



**HYBRID CHEMICAL
TECHNOLOGIES**

SHORT DELAY BORATE CROSSLINKER

HBX-200C

HBX-200C is a short delayed, borate-based crosslinker solution. This product is formulated for use with guar and HPG systems and is ideal to work in lower temperature ranges or shallow wells, at bottom hole temperatures up to 55°C.



ADVANTAGES

- Shortly delayed crosslink time (10-30 seconds).
- Capable of crosslinking low polymer (1.8 kg/m³, 15 lb/gal) linear gel.
- Provides excellent shear stable viscosity and efficient proppant suspension.
- Formulated for compatibility in high pH environments.
- Compatible with most other fracturing additives.
- Application temperature range of 20 – 55°C.

TREATMENT

HBX-200C typical dosage for oilfield fracturing fluids is 1.0 – 1.5 L/m³ of product. Specific loadings are dependent on water chemistry, gel concentration and anticipated BHT.

PRODUCT HANDLING


Read the SDS carefully and completely prior to handling this product. Proper PPE should always be used.

PHYSICAL DATA

STATE	Liquid	SG	1.168
COLOUR	Colourless	pH	9
ODOUR	Mild amine	FREEZE	-20°C

2.4 kg/m³ (20 lb/gal) Guar Gel
HBX-200C at 1.0 L/m³ at 50°C

HBX-200C



This information is provided for general purposes only and is believed to be accurate at the time of publication. Hybrid Chemical Technologies and its affiliates do not make any warranties or representations of any kind regarding the information and disclaim all express and implied warranties or representations to the fullest extent permissible by law, including those of merchant ability, fitness for a particular purpose or use, title, non-infringement, accuracy, correctness or completeness of the information provided herein. All information is furnished 'as is' and without any license to distribute. The user agrees to assume all liabilities related to the use of or reliance on such information. HYBRID CHEMICAL TECHNOLOGIES SHALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL DAMAGES FROM ANY CAUSE WHATSOEVER INCLUDING BUT NOT LIMITED TO ITS NEGLIGENCE.