



HYBRID CHEMICAL  
TECHNOLOGIES


# ENHANCED OIL RECOVERY POLYMER

## HYPAM-100E

HYPAM-100E is the workhorse polymer for a majority of freshwater polymer floods and Alkali-Surfactant-Polymer EOR applications.

# PHYSICAL PROPERTIES

<b>Molecular Weight</b>	<b>18 - 20 MM</b>
<b>Hydrolysis Degree</b>	<b>20 - 30%</b>
<b>Particle Size</b>	<b>20 - 80 mesh</b>
<b>Residual Monomer</b>	<b>&lt; 0.35%</b>
<b>Filtration Ratio</b>	<b>&lt; 1.2 um</b>



This information is provided for general purposes only and is believed to be accurate at the time of publication. Hybrid Chemical Technologies and its affiliates do not make any warranties or representations of any kind regarding the information and disclaim all express and implied warranties or representations to the fullest extent permissible by law, including those of merchantability, fitness for a particular purpose or use, title, non-infringement, accuracy, correctness or completeness of the information provided herein. All information is furnished 'as is' and without any license to distribute. The user agrees to assume all liabilities related to the use of or reliance on such information. HYBRID CHEMICAL TECHNOLOGIES SHALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL DAMAGES FROM ANY CAUSE WHATSOEVER INCLUDING BUT NOT LIMITED TO ITS NEGLIGENCE.